

Using script fonts in L^AT_EX

There are three “script-like” fonts available in most standard L^AT_EX distributions. Here’s how to use them. Some of these require special macro packages to be used—to do this, you insert an appropriate `\usepackage` command just after your `\documentclass` command, and before `\begin{document}`.

1. **Standard L^AT_EX “calligraphic” font:** No special package needed.

```
$$\mathcal{A}\mathcal{B}\mathcal{C}\mathcal{D}\mathcal{E}\mathcal{F}\mathcal{G}\mathcal{H}\mathcal{I}\mathcal{J}\mathcal{K}\mathcal{L}\mathcal{M}\mathcal{N}\mathcal{O}\mathcal{P}\mathcal{Q}\mathcal{R}\mathcal{S}\mathcal{T}\mathcal{U}\mathcal{V}\mathcal{W}\mathcal{X}\mathcal{Y}\mathcal{Z}$$
```

ABCDEFGHIJKLMNOPQRSTUVWXYZ

2. **Euler Script font:** Use the “euscript” package.

```
\usepackage[mathscr]{euscript}
```

```
...
```

```
$$\mathscr{A}\mathscr{B}\mathscr{C}\mathscr{D}\mathscr{E}\mathscr{F}\mathscr{G}\mathscr{H}\mathscr{I}\mathscr{J}\mathscr{K}\mathscr{L}\mathscr{M}\mathscr{N}\mathscr{O}\mathscr{P}\mathscr{Q}\mathscr{R}\mathscr{S}\mathscr{T}\mathscr{U}\mathscr{V}\mathscr{W}\mathscr{X}\mathscr{Y}\mathscr{Z}$$
```

ABCDEFGHIJKL MNOPQRST UVWXYZ

3. **Ralph Smith’s Formal Script Font (rsfs):** Use the “mathrsfs” package.

```
\usepackage{mathrsfs}
```

```
...
```

```
$$\mathrsfs{A}\mathrsfs{B}\mathrsfs{C}\mathrsfs{D}\mathrsfs{E}\mathrsfs{F}\mathrsfs{G}\mathrsfs{H}\mathrsfs{I}\mathrsfs{J}\mathrsfs{K}\mathrsfs{L}\mathrsfs{M}\mathrsfs{N}\mathrsfs{O}\mathrsfs{P}\mathrsfs{Q}\mathrsfs{R}\mathrsfs{S}\mathrsfs{T}\mathrsfs{U}\mathrsfs{V}\mathrsfs{W}\mathrsfs{X}\mathrsfs{Y}\mathrsfs{Z}$$
```

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z